

SPECIAL CONSTRUCTION BELTS

PIX-X'set® HP HIGH POWER BELTS



- FEATURES:
- Enhanced power rating by 20% - 30%
 - Enhanced belt life
 - Minimal belt stretch

PIX-X'tra® HP HIGH POWER BELTS



PIX ARAMID / KEVLAR CORD BELTS



- FEATURES:
- High tensile strength
 - Low stretch
 - Enhanced life

PIX-X'tra® DS DOUBLE COG BELTS



- FEATURES:
- High power transmission capacity
 - Better heat dissipation
 - Extremely flexible

PIX ASYMMETRIC BELTS




- FEATURES:
- Used in torque converter systems
 - Used in gold cart, snow mobiles etc.

PIX FRAS BELTS FIRE RESISTANT & ANTISTATIC BELTS



- FEATURES:
- Fire resistant belts
 - Antistatic
 - Certified by ATEX

PIX-X'tra® RAW EDGE PLAIN & LAMINATED BELTS



Standards, Dimensions & Product Range:
Same as Raw Edge Moulded Cogged Belts

PIX-X'set® DC DRY COVER BELTS



- FEATURES:
- Available in Aramid / Kevlar Cord
 - Suitable for drives with clutch applications

LIGHT DUTY SINGLE V-BELTS



Series	3L	4L	5L
Top width (mm)	10	13	17
Thickness (mm)	6	8	10
Angle (deg)	40	40	40
Range La (inches)	10.5-160	15-360	21-220



Series	2LX	3LX	4LX	5LX
Top width (mm)	6	10	13	17
Thickness (mm)	4	6	8	10
Angle (deg)	38	38	38	38
Range La (inches)	24-201	24-201	24-202	24-202

PIX MUSCLE HP MF BELTS

PIX-X'set® MUSCLE HP MF



- FEATURES:
- High power
 - Maintenance free
 - REACH compliant
 - ECO friendly
 - Space saving
 - Reduced wear
 - Smoother running

RAW EDGE COGGED VARIABLE SPEED BELTS

PIX-X'tra® vs VARIABLE SPEED BELTS



V21/6x700-1500	21.0 mm	6.0 mm	700-1500 mm	Li	
V28/8x670-1500	28.0 mm	8.0 mm	670-1500 mm	Li	
V37/10x800-1800	37.0 mm	10.0 mm	800-1800 mm	Li	
V47/13x960-1800	47.0 mm	13.0 mm	960-1800 mm	Li	

La: Outside Length Li: Inside Length Lp Pitch Length

If desired size is not listed in preceding pages, contact Finer to see if it has recently been added to our range.